



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : F23D 3/16	A1	(11) International Publication Number: WO 99/45322 (43) International Publication Date: 10 September 1999 (10.09.99)
(21) International Application Number: PCT/US99/04509 (22) International Filing Date: 2 March 1999 (02.03.99) (30) Priority Data: 09/033,262 2 March 1998 (02.03.98) US (71)(72) Applicant and Inventor: MORRIS, Matthew, T. [US/US]; Apartment A, 950 10th Street, Santa Monica, CA 90403 (US). (74) Agent: NIKOLAI, Thomas, J.; Nikolai, Mersereau & Dietz, P.A., Suite 820, 900 Second Avenue South, Minneapolis, MN 55402-3325 (US).		(81) Designated States: AU, CA, JP, MX, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: CANDLE WITH EMBEDDED GLASS (57) Abstract <p>A wax body (18) made of a translucent wax forms a candle holder (12). A glass holder (14) is embedded in the wax body to receive a candle. The candle (16) is either formed within the glass holder (12) or is formed separately as a replacement candle for the glass holder. A decorative paper (36) is secured to the wax body exterior. A translucent wax layer covers the exterior of the decorative paper.</p> <div data-bbox="730 1155 1380 1722"> </div>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

-1-

CANDLE WITH EMBEDDED GLASS
BACKGROUND OF THE INVENTION

I. Field of the Invention

This invention relates to candles and more particularly to
5 a wax candle holder with an embedded glass holder surrounding
a candle.

II. Discussion of the Related Art

Over the years, candles have been used for a variety of
purposes from functional lighting to ornamental lighting. As
10 a result of the long and varied use, a variety of candles have
developed from thin elongated tapers to stout cylindrical
candles to small votive candles. Many candles are used with a
candle holder to support the candle. Candle holders have ranged
from traditional candle stick holders to luminaries made from
15 paper bags.

Candles are now commonly used for ornamental lighting and
as a result have become more decorative. Designs made from
colored waxes, embedding flowers or other surface ornamentation
in the candle wax, and sculpting or cutting designs into the
20 candle wax are typically types of ornamentation. Occasionally,
the surface ornamentation can break off, disappear or be
destroyed, especially as the candle burns down, deforming its
walls and the ornamentation therein.

The glare or bright light from a candle flame can be
25 undesirable and as a result candle holders were developed to
minimize the glare or create a particular illumination. Candles
are often placed in protective globes, often glass globes, or
enclosed lanterns to create a particular illumination effect
while at the same time protecting the flame from being blown out
30 or accidentally catching something on fire. Tinted glass
containers are the most common way to reduce the glare, although
the glass containers can easily be knocked over and broken. The
protective coverings also become dirty after extended use.

One problem that exists with candles, and particularly
35 large cylindrical candles, is that as the candle burns, the
upper outer wax area becomes deformed from the heat generated
by the flame. Thus, not only is there the glare from the flame,

-2-

but the candle becomes unattractive and deformed as the candle burns and the wax melts. Thus, what is needed is a candle that does not deform its decorative exterior as it burns and does not have excessive glare from the flame but instead has a glowing illumination effect.

SUMMARY OF THE INVENTION

The present invention is a candle that creates a glowing illumination effect without deforming the decorative portion by providing its own candle holder in the form of a decorative wax cylinder covering a glass embedded holder for a candle. The candle is either formed within the glass embedded holder or it is inserted into the glass embedded holder. The exterior wax holder has a decorative paper wrapped around it that is then coated with a layer of wax.

OBJECTS

It is accordingly a principle object of the present invention to provide a decorative candle holder consisting of a glass holder embedded in wax and a candle received within the glass of the candle holder for creating a glowing illumination effect of a candle and candle holder without deforming the sides of the decorative candle holder as the candle burns down into the interior of glass holder embedded in the candle holder.

Another object of the present invention is to provide a candle holder and candle that has a glowing appearance because an inner candle illuminates its candle holder made from wax.

A further object of the present invention is to provide candle holder made of wax having an integral candle that is formed within a glass holder embedded in the candle holder.

Still another object of the present invention is to provide a candle holder made from wax and an embedded glass holder with waxed coated decorative paper secured to the exterior of the holder to enhance the glowing illumination effect of the candle flame within the candle holder.

Yet another object of the present invention is to provide a candle holder made from scented wax and an embedded glass holder with waxed coated decorative paper secured to the

-3-

exterior of the holder to enhance the glowing illumination effect of the candle flame within the candle holder.

These and other objects, as well as these and other features and advantages of the present invention will become readily apparent to those skilled in the art from a review of the following detailed description of the preferred embodiment in conjunction with the accompanying claims and drawings in which like numerals in the several views refer to corresponding parts.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of candle of the present invention;

Figure 2 is a top view of the candle of the present invention;

Figure 3 is a cross sectional view of the candle of the present invention; and

Figure 4 is a cross sectional view of another embodiment of the present invention.

DETAILED DESCRIPTION

The candle of the present invention is designated 10 in Figure 1. Candle 10 includes an exterior wax holder 12 with a glass holder 14 embedded in the exterior wax holder and a candle 16.

Turning now to Figures 2, 3 and 4, the exterior wax candle holder 12 will be described in greater detail. The wax holder 12 is formed by forming a wax body 18 around a glass holder 14 having an open top 20, a side wall 22 and base 24. The wax body 18 is preferably one and one half to three fourths inches thick around the exterior glass surface 26 of side wall 22. The wax body 18 is approximately one half to two inches thick from the base 24. The wax body 18 is formed such that the glass holder 14 cannot be removed from the bore defined by the wax body 18. In the first embodiment shown in Figure 3, the wax body 18 is flush with the upper edge 28 of the glass holder 14. In the second embodiment shown in Figure 4, the wax body 30 extends past the top of the upper edge 28 of glass holder 14.

-4-

The candle 16 likewise has two embodiments. In the first embodiment shown in Figure 3, the candle 16 is conventionally formed in the glass holder 14 and has a conventional wick 38. In a second embodiment shown in Figure 4, the candle 34 is formed separate as an insert for the glass holder 14 and has a conventional wick 40. Thus, when a candle 16 or 34 is used up, a new replacement candle 34 can be placed in the glass container 14 to replace the used candle 16 or 34.

The wax body 18 or 30 is preferably translucent or white in color to assist in illumination when candle 16 or 34 is lit. The wax may also be scented. A decorative paper 36 is secured around the side wall 42 of the wax holder 12. The paper 36 is preferably translucent, colored, and decorative, such as lemon grass paper. The paper 36 is first conventionally secured to the wax holder 12. The wax holder 12 and paper 36 is then coated with a layer of semi-transparent material 44, such as varnish, shellac or a plastic. In the first candle embodiment shown in Figure 3, the entire exterior of the candle holder 12, upper edge 28 of the glass holder 14 and candle 16 is coated with the semi-transparent layer 44. In the second embodiment, the interior of the glass container is not coated with the semi-transparent layer 44.



This invention has been described herein in considerable detail in order to comply with the patent statutes and to provide those skilled in the art with the information needed to apply the novel principles and to construct and use such specialized components as are required. However, it is to be understood that the invention can be carried out by specifically different devices, and that various modifications, both as to the equipment details and operating procedures, can be accomplished without departing from the scope of the invention itself.

What is claimed is:

-5-

CLAIMS

- 1) A candle and candle holder comprising:
 - a) a wax body made of a translucent wax;
 - b) a glass holder having a lower surface, a side wall and an open top, said glass holder entirely embedded along its side walls in said wax body;
 - c) a candle located within said glass holder;
 - d) a decorative paper secured to and surrounding said wax body exterior; and
 - e) a layer of semi-transparent material covering said decorative paper.
- 2) A candle and candle holder of Claim 1 wherein said candle is formed separate from said glass holder.
- 3) A candle and candle holder of Claim 1 wherein said candle is formed within said glass holder.
- 4) A candle and candle holder of Claim 1 wherein said decorative paper is lemon grass paper.
- 5) A candle and candle holder of Claim 1 wherein said decorative paper is translucent.
- 6) A candle and candle holder of Claim 1 wherein said wax body extends above an upper edge of said glass holder.
- 7) A candle and candle holder of Claim 1 wherein the layer of semi-transparent material is selected from a group consisting of wax, varnish, shellac and plastic.

*FIG. 1**FIG. 2*




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US99/04509

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :F23D 3/16

US CL :431/291

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 431/289, 291

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONEElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
NONE**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,697,694 A (CUTTS) 16 DECEMBER 1997 SEE THE ENTIRE DOCUMENT.	1-7
A	US 4,584,042 A (WANDROIK) 22 APRIL 1986 SEE THE ENTIRE DOCUMENT.	1-7



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

14 APRIL 1999

Date of mailing of the international search report

27 MAY 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

CARROLL DORITY

Telephone No. (703) 305-4371